

**Table 1.**

**Reptile and Amphibian Species Potentially  
Inhabiting the Everist Parcel**

Classification/Common Name	<i>Scientific Name</i>	Preferred Habitat
<b>Amphibians</b>		
<b>Salamanders</b>		
Tiger Salamander	<i>Ambystoma tigrinum</i>	Ms, In
<b>Toads and Frogs</b>		
Woodhouse's Toad	<i>Bufo woodhousei woodhousei</i>	Ms, RpL, In
Boreal Chorus Frog	<i>Pseudacris triseriata maculata</i>	Ms, RpL, In
Northern Leopard Frog	<i>Rana pipiens</i>	Ms, RpL, In
Plains Spadefoot	<i>Scaphiopus bombifrons</i>	In
<b>Turtles</b>		
Ornate Box Turtle	<i>Terrapene ornata ornata</i>	RpL
<b>Reptiles</b>		
<b>Lizards</b>		
Northern Earless Lizard	<i>Holbrookia maculata maculata</i>	MXP
Red-lipped Prairie Lizard	<i>Sceloporus undulatus erythrocheilus</i>	RpL
Prairie-lined Racerunner	<i>Cnemidophorus sexlineatus viridis</i>	RpL
Great Plains Skink	<i>Eumeces obsoletus</i>	RpL
<b>Snakes</b>		
Milk Snake	<i>Lampropeltis triangulum</i>	RpL
Western Coachwhip	<i>Masticophis flagellum taeniatus</i>	RpL
Bullsnake	<i>Pituophis melanoleucus sayi</i>	MXP, RpL
Gopher Snake	<i>Pituophis melanoleucus ssp.</i>	RpL
Plains Blackhead Snake	<i>Tantilla nigriceps nigriceps</i>	RpL
Wandering Garter Snake	<i>Thamnophis elegans vagrans</i>	RpL, Ms, In
Western Plains Garter Snake	<i>Thamnophis radix haydeni</i>	RpL, Ms
<b>Habitat Types</b>		
MXP	Mixed grasses of habitat alteration	
RpL	Riparian Lowland	
Ms	Marshes, bogs, wet hummocks	
OW-L/R	Open Water-Lakes, Ponds, Reservoirs	
OW-St/Ri	Open Water- Streams or Rivers	
In	Intermittent ponds, reservoirs, streams	
W/OG	Alkali flats, mud flats, gravel beds	

**Table 2.**

**Breeding Bird Species Potentially  
Inhabiting the Everist Parcel**

<b>Classification/Common Name</b>	<i>Scientific Name</i>	<b>Preferred Habitat</b>
<b>Pelicans and Allies</b>		
Eared Grebe	<i>Podiceps nigricollis</i>	Ms, L
Western Grebe	<i>Aechmophorus occidentalis</i>	Ms, L
Double-crested Cormorant	<i>Phalacrocorax auritus</i>	RpL, L, Ri
<b>Hérons</b>		
Great Blue Heron	<i>Ardea herodias</i>	Ms, W/OG, Ri, RpL
Black-crowned Night-Heron	<i>Nycticorax nycticorax</i>	RpL
<b>Waterfowl</b>		
Canada Goose	<i>Branta canadensis</i>	Ms, W/OG, Ri, MxP, RpL
Green-winged Teal	<i>Anas crecca</i>	Ms, W/OG, Ri, L
Mallard	<i>Anas platyrhynchos</i>	RpL, L
<b>Vultures and Raptors</b>		
Northern Harrier	<i>Circus cyaneus</i>	Ms
Sharp-shinned Hawk	<i>Accipiter striatus</i>	RpL
Cooper's Hawk	<i>Accipiter cooperii</i>	RpL
Swainson's Hawk	<i>Buteo swainsoni</i>	RpL
Red-tailed Hawk	<i>Buteo jamaicensis</i>	RpL
Golden Eagle	<i>Aquila chrysaetos</i>	RpL
American Kestrel	<i>Falco sparverius</i>	RpL
Prairie Flacon	<i>Falco mexicanus</i>	RpL
<b>Gallinaceous Birds</b>		
Ring-necked Pheasant	<i>Phasianus colchinus</i>	RpL
<b>Shorebirds</b>		
Snowy Plover	<i>Charadrius alexandrinus</i>	W/OG
Killdeer	<i>Charadrius vociferus</i>	Ms, W/OG, Ri, L
American Avocet	<i>Recurvirostra americana</i>	Ms, L, W/OG
Spotted Sandpiper	<i>Actitis macularia</i>	Ms, W/OG, Ri, L
Wilson's Phalarope	<i>Phalaropus tricolor</i>	Ms, W/OG
<b>Gulls and Terns</b>		
California Gull	<i>Larus californicus</i>	L
<b>Pigeons and Doves</b>		
Mourning Dove	<i>Zenaida macroura</i>	RpL
<b>Owls</b>		
Great Horned Owl	<i>Bubo virginianus</i>	RpL
Burrowing Owl	<i>Athene cucularia</i>	MxP
Long-eared Owl	<i>Asio otus</i>	RpL

**Table 2. Continued**

**Breeding Bird Species Potentially  
Inhabiting the Everist Parcel**

<b>Classification/Common Name</b>	<i>Scientific Name</i>	<b>Preferred Habitat</b>
<b>Nighthawks</b>		
Common Nighthawk	<i>Chordeiles minor</i>	MxP, RpL
<b>Kingfishers</b>		
Belted Kingfisher	<i>Ceryle alcyon</i>	RpL
<b>Woodpeckers</b>		
Lewis' Woodpecker	<i>Melanerpes lewis</i>	RpL
Downy Woodpecker	<i>Picoides pubescens</i>	RpL
Hairy Woodpecker	<i>Picoides villosus</i>	RpL
Northern Flicker	<i>Colaptes auratus</i>	RpL
<b>Passerines</b>		
Western Wood-Pewee	<i>Contopus sordidulus</i>	RpL
Willow Flycatcher	<i>Empidonax traillii</i>	RpL
Say's Phoebe	<i>Sayornis phoebe</i>	RpL,
Ash-throated Flycatcher	<i>Myiarchus cinerascens</i>	RpL
Cassin's Kingbird	<i>Tyrannus vociferans</i>	RpL
Western Kingbird	<i>Tyrannus verticalis</i>	RpL
Eastern Kingbird	<i>Tyrannus tyrannus</i>	RpL
Tree Swallow	<i>Tachycineta bicolor</i>	RpL
Violet-green Swallow	<i>Tachycineta thalassina</i>	RpL
Northern Rough-winged Swallow	<i>Stelgidopteryx serripennis</i>	RpL
Bank Swallow	<i>Riparia riparia</i>	RpL
Barn Swallow	<i>Hirundo rustica</i>	Ms, W/OG, Ri, RpL
Blue Jay	<i>Cyanocitta cristata</i>	RpL
Black-billed Magpie	<i>Pica pica</i>	RpL
American Crow	<i>Corvus brachyrhynchos</i>	RpL
Chihuahuan Raven	<i>Corvus cryptoleucus</i>	MxP
Black-capped Chickadee	<i>Parus atricapillus</i>	RpL
Marsh Wren	<i>Cistothorus palustris</i>	Ms
Blue-gray Gnatcatcher	<i>Poliptilla caerulea</i>	RpL
Veery	<i>Catharus fuscescens</i>	RpL
Swainson's Thrush	<i>Catharus ustulatus</i>	RpL
American Robin	<i>Turdus migratorius</i>	MxP
Gray Catbird	<i>Dumetella carolinensis</i>	RpL
Northern Mockingbird	<i>Mimus polyglottos</i>	RpL
Brown Thrasher	<i>Toxostoma rufum</i>	RpL
Cedar Waxwing	<i>Bombicilla cedrorum</i>	RpL
Loggerhead Shrike	<i>Lanius ludovicianus</i>	RpL
European Starling	<i>Sturnus vulgaris</i>	RpL
Solitary Vireo	<i>Vireo solitarius</i>	RpL
Warbling Vireo	<i>Vireo gilvus</i>	RpL
Red-eyed Vireo	<i>Vireo olivaceus</i>	RpL
Orange-crowned Warbler	<i>Vermivora celata</i>	RpL
Yellow Warbler	<i>Dendroica petechia</i>	RpL

**Table 2. Continued**

**Breeding Bird Species Potentially  
Inhabiting the Everist Parcel**

<b>Classification/Common Name</b>	<i>Scientific Name</i>	<b>Preferred Habitat</b>
<b>Passerines (continued)</b>		
Chestnut-sided Warbler	<i>Dendroica pensylvanica</i>	RpL
American Redstart	<i>Setophaga ruticilla</i>	RpL
Ovenbird	<i>Seiurus aurocapillus</i>	RpL
MacGillivray's Warbler	<i>Oporornis tolmei</i>	RpL
Common Yellowthroat	<i>Geothlypis trichas</i>	RpL, Ms
Yellow-breasted Chat	<i>Icteria virens</i>	RpL
Blue Grosbeak	<i>Guiraca caerulea</i>	RpL
Lazuli Bunting	<i>Passerina amoena</i>	RpL
Indigo Bunting	<i>Passerina cyanea</i>	RpL
Green-tailed Towhee	<i>Pipilo chlororus</i>	RpL
Rufous-sided Towhee	<i>Pipilo erythrothalmus</i>	RpL
Chipping Sparrow	<i>Spizella passerina</i>	RpL
Field Sparrow	<i>Spizella pusilla</i>	RpL
Vesper Sparrow	<i>Pooecetes gramineus</i>	MxP
Lark Sparrow	<i>Chondestes grammacus</i>	RpL
Savannah Sparrow	<i>Passerculus sandwichensis</i>	Ms
Grasshopper Sparrow	<i>Ammodramus savannarum</i>	MxP
Song Sparrow	<i>Melospiza melodia</i>	Ms
Red-Winged Blackbird	<i>Agelaius phoeniceus</i>	Ms, MxP
Western Meadowlark	<i>Sturnella neglecta</i>	MxP
Yellow-headed Blackbird	<i>Xanthocephalus xanthocephalus</i>	Ms
Brewer's Blackbird	<i>Euphagus cyanocephalus</i>	RpL
Common Grackle	<i>Quiscalus quiscalus</i>	RpL
Brown-headed Cowbird	<i>Molothrus ater</i>	Ms
Northern Oriole	<i>Icterus galbula</i>	RpL
Lesser Goldfinch	<i>Carduelis psaltria</i>	RpL
American Goldfinch	<i>Carduelis tristis</i>	RpL

**Habitat Types**

MxP	Mixed grasses of habitat alteration
RpL	Riparian lowland
Ms	Marshes, bogs, wet hummocks
Ri	Open water-streams and rivers
W/OG	Alkali flats, mud flats, gravel beds
L	Lakes, ponds, reservoirs

**Table 3.**

**Mammal Species Potentially  
Inhabiting the Everist Parcel**

<b>Classification/Common Name</b>	<b>Scientific Name</b>	<b>Preferred Habitat</b>
<b>Carnivores</b>		
Coyote	<i>Canis latrans</i>	MxP, RpL, Ms, W/OG
Red Fox	<i>Vulpes vulpes</i>	Ms
Raccoon	<i>Procyon lotor</i>	RpL, Ms
Long-tailed Weasel	<i>Mustela nigripes</i>	MxP, RpL, Ms, W/OG
Mink	<i>Mustela vison</i>	RpL, Ms
Striped Skunk	<i>Mephitis mephitis</i>	MxP, RpL, Ms, W/OG
Cougar	<i>Felis concolor</i>	RpL
Bobcat	<i>Felis rufus</i>	RpL
<b>Ungulates</b>		
Mule Deer	<i>Odocoileus hemionus</i>	RpL, L
White-tailed Deer	<i>Odocoileus virginianus</i>	RpL
<b>Lagomorphs</b>		
Desert Cottontail	<i>Sylvilagus audubonii</i>	RpL
Nuttall's Cottontail	<i>Sylvilagus nuttallii</i>	MxP
Black-tailed Jack Rabbit	<i>Lepus californicus</i>	MxP
White-tailed Jackrabbit	<i>Lepus townsendii</i>	MxP
<b>Rodents</b>		
Wyoming Ground Squirrel	<i>Spermophilus elegans</i>	MxP
Thirteen-lined Ground Squirrel	<i>Spermophilus tridecemlineatus</i>	MxP
Rock Squirrel	<i>Spermophilus variegatus</i>	MxP, RpL
Black-tailed Prairie Dog	<i>Cynomys ludovicianus</i>	MxP
Fox Squirrel	<i>Sciurus niger</i>	RpL
Plains Pocket Gopher	<i>Geomys bursarius</i>	MxP
Silky Pocket Mouse	<i>Perognathus flavus</i>	MxP
Ord's Kangaroo Rat	<i>Dipodomys ordii</i>	MxP, RpL
Beaver	<i>Castor canadensis</i>	RpL, L
Western Harvest Mouse	<i>Reithrodontomys megalotis</i>	MxP, RpL
Brush Mouse	<i>Peromyscus boylii</i>	RpL
White-footed Mouse	<i>Peromyscus leucopus</i>	RpL
Deer Mouse	<i>Peromyscus maniculatus</i>	All types
Northern Grasshopper Mouse	<i>Onychomys leucogaster</i>	MxP
Long-tailed Vole	<i>Microtus longicaudus</i>	Ms
Montane Vole	<i>Microtus montanus</i>	MxP, Ms
Prairie Vole	<i>Microtus ochrogaster</i>	MxP, Ms
Meadow Vole	<i>Microtus pennsylvanicus</i>	RpL, Ms
Muskrat	<i>Ondatra zibethicus</i>	Ms, L

**Table 3. Continued****Mammal Species Potentially  
Inhabiting the Everist Parcel**

<b>Classification/Common Name</b>	<b>Scientific Name</b>	<b>Preferred Habitat</b>
<b>Insectivores</b>		
Masked Shrew	<i>Sorex cinereus</i>	Ms
Dusky Shrew	<i>Sorex monticolus</i>	MxP, Ms
Water Shrew	<i>Sorex palustris</i>	RpL, Ri
<b>Bats</b>		
Western Small-footed Myotis	<i>Myotis ciliolabrum</i>	MxP
Little Brown Myotis	<i>Myotis lucifugus</i>	RpL
Hoary Bat	<i>Lasurus cinereus</i>	RpL
Silver-haired Bat	<i>Lasionycteris noctivagans</i>	RpL
Big Brown Bat	<i>Eptesicus fuscus</i>	RpL
<b>Habitat Types</b>		
MXP	Mixed grasses of habitat alteration	
RpL	Riparian lowland	
Ms	Marshes, bogs, wet hummocks	
W/OG	Alkali flats, mud flats, gravel beds	
Ri	Open water- rivers and streams	
L	Lakes, ponds, reservoirs	